



*PRICE LIST 2026  
VALID FROM 01.04.2026*

## **TESTMATERIALS**



## TABLE OF CONTENTS

	<i>Page</i>
<b>1 Test fabrics with artificial soiling, colour transfer monitors</b>	<b>3-4</b>
<b>2 Unsoiled test fabrics</b>	<b>5</b>
<b>3 Test fabrics for wash cycle control / load / mechanical action (GoA)</b>	<b>6-7</b>
<b>4 Test fabrics for determination of colour fastness</b>	<b>7-8</b>
<b>5 Biomonitors</b>	<b>8</b>
<b>6 Reference detergents</b>	<b>8-9</b>
<b>7 Test materials for VESLIC/IUF testing of leather</b>	<b>9</b>
<b>8 Scales for testing colour and light-fastness</b>	<b>9</b>
<b>9 Photographs for evaluation of pilling formation</b>	<b>10</b>
<b>10 Service: Special soiling, fabrication</b>	<b>10</b>
<b>11 Conditions of sale and delivery for Swisstatest Testmaterials</b>	<b>11</b>

*Costs for postage, transportation, declaration, VAT, etc. will be charged additionally.  
A supplement of CHF 50.– /Euro 50.– will be charged in case of orders below CHF/Euro 1000.–*

# 1 TEST FABRICS WITH ARTIFICIAL SOILING, COLOUR TRANSFER MONITORS

	Circa usable width in cm	g/m <sup>2</sup>	Unit	Prices in CHF/Euro
<b>SWISSATEST STANDARD SOILING</b>				
101 Cotton soiled with carbon black/olive oil	140	95	m	84.- / 93.-
104 Polyester/cotton, 65/35, soiled with carbon black/olive oil also for ISO 26082-1	135	160	m	91.- / 101.-
107 Wool soiled with carbon black/olive oil	105	90	m	105.- / 117.-
<b>TESTSTRIPS/STAIN MONITORS EN/IEC 60456 STRIPS</b> For evaluation of washing, cleaning, bleaching, brightening performance and stain removal capacity; for comparative testing of detergents, washing machines and laundering processes.				
102 Cotton-Jersey (23x19 cm) with 15 different stains (3 cm): Make-up, Curry, Red wine, Tomato sauce, Blood, Dessert (chocolate), Peat, Tea, Beta-Carotine, Grass, Animal fat/red dye, Baby-food, Clay, Butter, used Engine oil			Piece	29.- / 32.-
103 Combined Swisstatetest washing test strips, consisting of art. 221, 101, 111, 112, 116, 115, 222, 114, pieces of 12x12 cm, bag with 10 strips			Bag	109.- / 121.-
105 EN/IEC 60456 strips (EN Ed. 2/IEC 4 <sup>th</sup> Ed.), pieces of 15x15 cm each, bag with 10 strips, incl. certificate			Bag	163.- / 181.-
108 EN/IEC 60456 strips (EN ED.3/ IEC 5 <sup>th</sup> Ed./ IEC 6 <sup>th</sup> Ed.), pieces of 12x12 cm each, bag with 10 strips, incl. certificate			Bag	104.- / 116.-
109 AHAM HLW-2 strips, pieces of 12x12 cm each, bag with 10 strips, incl. certificate			Bag	104.- / 116.-
110 Test strip in wool, according Woolmark Pieces of 15 x 15 cm each, bag with 10 strips			Bag	214.- / 238.-
113 IEC 60456 strips (cold water stain strips, 6 <sup>th</sup> Ed.), bag with 10 strips			Bag	99.- / 110.-
121 IEC 60456 strips (wool stain strips, 6 <sup>th</sup> Ed.), bag with 10 strips			Bag	79.- / 88.-
<b>SPECIFIC SOILING</b>				
106 Cotton soiled with IEC carbon black/mineral oil	159	195	m	87.- / 97.-
111 Cotton soiled with blood	70	230	m	43.- / 48.-
112 Cotton soiled with cocoa	155	235	m	86.- / 96.-
114 Cotton soiled with red wine	78	195	m	43.- / 48.-
115 Cotton dyed with Immedial black, bleaching test	149	90	m	72.- / 80.-
116 Cotton soiled with blood/milk/ink	157	205	m	84.- / 93.-
117 Polyester/cotton, 65/35, soiled with blood/milk/ink	139	165	m	93.- / 103.-
118 Cotton soiled with sebum/pigment	70	200	m	43.- / 48.-
119 Polyester/cotton, 65/35, soiled with sebum/pigment	33	165	m	31.- / 34.-
120 Cotton soiled with grease/quartz/iron oxide	25	220	m	41.- / 46.-
122 Cotton soiled with aged red wine	35	210	m	31.- / 34.-
123 Cotton soiled for washing with low temperature	34	230	m	36.- / 40.-
125 Fabric soiled for tenside/surfactants	33	235	m	41.- / 46.-
126 Cotton fabric soiled with clay, artificial sebum and protein (related to JIS C9606, used in article 113), 5x5cm, 50 pieces plus 5 pieces unsoiled (210MS) per pack			Pack	40.- / 44.-
126/1 Cotton fabric soiled with clay, artificial sebum and protein, (related to JIS C9606, used in article 113)	34	195	m	36.- / 40.-

			Circa usable width in cm	g/m <sup>2</sup>	Unit	Prices in CHF/Euro
<b>128/1</b>	Cotton Jeans, Indigo/Sulfur black, soiled with carbon black/olive oil, according VDA		70	370	m	66.- / 73.-
<b>128/2</b>	Cotton Jeans, Indigo/Sulfur black, soiled with carbon black/olive oil, 14x14 cm, 10 pieces per box, according VDA – 230–212			370	Box	83.- / 92.-
<b>129</b>	Cotton Jeans, Indigo/Sulfur black, soiled with sebum and pigment (PV: 3968)		70	370	m	98.- / 109.-
<b>COLOUR TRANSFER MONITORS</b>						
<b>130</b>	Cotton dyed with Direct red 83.1		162	180	m	72.- / 80.-
<b>131</b>	Polyamide dyed with Acid blue 113		154	65	m	72.- / 80.-
<b>132</b>	Cotton dyed with Direct black 22		150	90	m	72.- / 80.-
<b>133</b>	Cotton dyed with Direct blue 71		148	90	m	72.- / 80.-
<b>134</b>	Cotton dyed with Direct orange 39		150	90	m	72.- / 80.-
<b>135</b>	Cotton dyed with Reactive blue 225		152	90	m	72.- / 80.-
<b>136</b>	Cotton dyed with Reactive brown 7		153	90	m	72.- / 80.-
<b>137</b>	Cotton dyed with Reactive red 158		148	100	m	72.- / 80.-
<b>138</b>	Cotton dyed with Sulphur blue 19		141	90	m	72.- / 80.-
<b>SOILING WITH LIPSTICK/MAKE-UP</b>						
<b>141</b>	Cotton soiled with lipstick 141/1.....17,0 g 141/2.....8,5 g 141/3.....4,0 g		25	224	m	35.- / 39.-
<b>142</b>	Polyester/cotton, 65/35, soiled with lipstick 142/1.....17,0 g 142/2.....12,0 g 142/3.....7,0 g		25	164	m	40.- / 44.-
<b>143</b>	Cotton soiled with make-up 143/1.....7,0 g 143/2.....3,0 g 143/3.....1,0 g		25	209	m	35.- / 39.-
<b>144</b>	Polyester/cotton, 65/35, soiled with make-up 144/1.....7,0 g 144/2.....5,0 g 144/3.....2,0 g		25	166	m	40.- / 44.-
<b>ENZYME- AND BLEACH MONITORS</b>						
<b>160</b>	Cotton soiled with chocolate cream		34	242	m	31.- / 34.-
<b>161</b>	Cotton soiled with starch		34	225	m	31.- / 34.-
<b>162</b>	Polyester/cotton, 65/35, soiled with starch		34	169	m	31.- / 34.-
<b>163</b>	Cotton soiled with porridge		34	232	m	31.- / 34.-
<b>164</b>	Cotton soiled with grass		34	208	m	31.- / 34.-
<b>165</b>	Cotton fabric with soiling of pudding, mannanase sensitive		34	264	m	31.- / 34.-
<b>167</b>	Cotton soiled with tea		34	210	m	31.- / 34.-
<b>168</b>	Polyester/cotton, 65/35, soiled with tea		34	155	m	31.- / 34.-

## 2 UNSOILED TEST FABRICS

### UNSOILED TEST FABRICS

	Circa usable width in cm	g/m <sup>2</sup>	Unit	Prices in CHF/Euro
210 Cotton fabric, plain weave, bleached, without optical brightener	169	180	m	24.- / 27.-
210/MS Cotton fabric, bleached, without optical brightener, used in the articles: 113 / 126	40	180	m	8.- / 9.-
211 Cotton fabric, percale, bleached	152	90	m	32.- / 36.-
213 Polyester/cotton fabric, 65/35, bleached, without optical brightener	147	155	m	31.- / 34.-
214 Cotton twill fabric, without optical brightener	152	195	m	35.- / 39.-
217 Wool fabric, muslin, washed	115	100	m	49.- / 54.-
220 Cotton/Polyester twill, 50/50, bleached, without optical brightener	150	240	m	35.- / 39.-
222 Cotton fabric, cretonne, raw, unbleached	78	205	m	12.- / 13.-
223 Cotton fabric, cretonne, with green effect threads, bleached, without optical brightener for wash cycle control	60	195	m	46.- / 51.-
224 Cotton fabric, with green effect threads, bleached, for wash cycle control, ISO 2267 and EN/IEC 61855	80	175	m	58.- / 64.-
225 Polyamide fabric, percale, washed out, heat-set	155	65	m	34.- / 38.-
226 Cotton fabric, cretonne, bleached, without optical brightener used on IEC strip, article 105, 108 and 109	73	200	m	15.- / 17.-
231 Martindale Foils, squares of 5,5x5,5 cm with round cutting of 3 cm diameter, unit with 50 pieces			Pack	72.- / 80.-
240 Cotton/Polyester, huckaback weave, 50/50, bleached, without optical brightener used on article 341 and 342	148	228	m	35.- / 39.-
250 Pilling set containing 2 fabric pieces and 4 garments, original, not pre-pilled			Set	167.- / 186.-
251 Pilling set containing 2 fabric pieces and 4 garments, pre-pilled			Set	385.- / 428.-
252 Pilling monitor, printed Jersey (strips with 4 colours), 94% CO/6% Dorlastan, original not pre-pilled	133	235	m	65.- / 72.-
253 Pilling monitor, printed Jersey, 94% CO/6% Dorlastan, pre-pilled, 30x30 cm, 5 pieces per box		235	Box	60.- / 67.-
254 Pilling monitor, Jersey white, 94% CO/6% Dorlastan, original, not pre-pilled	145	240	m	51.- / 57.-
255 Pilling monitor, Jersey white, 94% CO/6% Dorlastan, pre-pilled, 30x30 cm, 5 pieces per box			Box	47.- / 52.-
256 Pilling monitor, printed Jersey (strips with 1 colour, black), 94% CO/6% Dorlastan, original not pre-pilled	133	235	m	86.- / 96.-
257 Pilling monitor, printed Jersey (strips with 1 colour, black), 94% CO/6% Dorlastan, original not pre-pilled, 30x30 cm, 5 pieces per box		235	Box	57.- / 63.-
258 Pilling monitor, printed Jersey (strips with 1 colour, black), 94% CO/6% Dorlastan, pre-pilled, 30x30 cm, 5 pieces per box		235	Box	79.- / 88.-
277 Cotton Jeans fabric with Indigo dyeing	164	310	m	51.- / 57.-
278 Cotton Jeans fabric with Indigo/Sulfur black dyeing, used in article 128 and 128/1	162	405	m	51.- / 57.-
279 Cotton Jeans fabric with Sulfur black dyeing	165	420	m	59.- / 66.-
280 Cotton twill fabric with blue vat dyeing	150	200	m	38.- / 42.-

### 3 TEST FABRICS FOR WASH CYCLE CONTROL/ LOAD/MECHANICAL ACTION (GoA)

	Circa usable width in cm	g/m <sup>2</sup>	Unit	Prices in CHF/Euro
<b>300</b> Control strip cotton, with green effect threads ISO 2267 «Surface active agents – Evaluation of certain laundering effects – Methods of preparation and use of unsoiled cotton control cloth», size 130x80 cm, pieces for 1, 25 and 50 wash cycles	80	175	Piece	52.– / 58.–
<b>302</b> Swisstatest control strip, cotton, with green effect threads, bleached, without optical brightener, size 100x60 cm, pieces for 1,25 und 50 wash cycles	60	190	Piece	47.– / 52.–
<b>304</b> Polyamide fabric to determine mechanical action in washing machines and tumble dryer, used as GoA-A and GoA-B according to IEC 60456 Ed. 6 <sup>th</sup> , 1 meter with 15 test cloths	156	85	m	89.– / 99.–
<b>305</b> GoA-B, Polyamide fabric to determine mechanical action in washing machines, Article 304 covered in a cotton towel according to IEC 60456 Ed. 6 <sup>th</sup> (normalised article 361/00)			Piece	35.– / 39.–
<b>306</b> Poka-Dot®, to measure mechanical action in washing machines and dryers, pieces of 34x34 cm, 10 pieces per box			Box	125.– / 139.–
<b>307</b> Poka-Dot®, to measure mechanical action in washing machines and dryers, pieces of 17x17 cm, 10 pieces per box			Box	41.– / 46.–
<b>318</b> Wool shrinkage test fabric IWS-Wool SM-12, also for IEC 60456 Ed. 6 <sup>th</sup> , 1 piece with 12 test cloths	144		Piece	72.– / 80.–
<b>320</b> Cotton washing shrinkage test fabric, pieces of 30x30 cm, 10 pieces per box			Box	58.– / 64.–
<b>333</b> Cotton fabric, plain weave, one side soiled to determine mechanical action in washing machines and tumble dryers, pieces of 8 x 5,5 cm, 25 pieces per box			Box	96.– / 107.–
<b>LOAD ACCORDING TO EN/IEC 60456, AHAM-HLW-1 / EN 50640</b>				
<b>341</b> Small sheet, cotton/polyester, 72x90 cm, according to EN/50640:2018			Piece	20.– / 22.–
<b>342</b> Large sheet, cotton/polyester, 220x148 cm, according to EN/50640:2018			Piece	68.– / 76.–
<b>351</b> Cotton towel according to EN/IEC 60456, AHAM-HLW-2			Piece	13.– / 14.–
<b>352</b> Cotton bed sheet according to EN/IEC 60456, AHAM-HLW-2			Piece	36.– / 40.–
<b>353</b> Cotton pillow case according to EN/IEC 60456, AHAM-HLW-2			Piece	17.– / 19.–
<b>354</b> Polyester/cotton pillow case according EN/IEC 60456			Piece	22.– / 24.–
<b>355</b> Polyester/cotton men shirt according EN/IEC 60456			Piece	22.– / 24.–
<b>356</b> Double knitted polyester according EN/IEC 60456, 1 kg per box			Box	69.– / 77.–
<b>357</b> AHAM-HLW-2 stuffer load on cotton			Piece	7.– / 8.–
<b>361/00</b> Cotton towel according EN/IEC 60456, Age: neutralised			Piece	16.– / 18.–
<b>361/20</b> Cotton towel according EN/IEC 60456, Age: 20 Test runs			Piece	42.– / 47.–
<b>361/40</b> Cotton towel according EN/IEC 60456, Age: 40 Test runs			Piece	79.– / 88.–
<b>361/60</b> Cotton towel according EN/IEC 60456, Age: 60 Test runs			Piece	113.– / 126.–
<b>362/00</b> Cotton bed sheet according EN/IEC 60456, Age: neutralised			Piece	60.– / 67.–
<b>362/20</b> Cotton bed sheet according EN/IEC 60456, Age: 20 Test runs			Piece	257.– / 286.–
<b>362/40</b> Cotton bed sheet according EN/IEC 60456, Age: 40 Test runs			Piece	496.– / 551.–
<b>362/60</b> Cotton bed sheet according EN/IEC 60456, Age: 60 Test runs			Piece	731.– / 812.–
<b>363/00</b> Cotton pillow case according EN/IEC 60456, Age: neutralised			Piece	27.– / 30.–
<b>363/20</b> Cotton pillow case according EN/IEC 60456, Age: 20 Test runs			Piece	88.– / 98.–
<b>363/40</b> Cotton pillow case according EN/IEC 60456, Age: 40 Test runs			Piece	164.– / 182.–
<b>363/60</b> Cotton pillow case according EN/IEC 60456, Age: 60 Test runs			Piece	244.– / 271.–
<b>370</b> Small sheet in cotton/polyester			Piece	19.– / 21.–

	Circa usable width in cm	g/m <sup>2</sup>	Unit	Prices in CHF/Euro
371 Medium sheet in cotton/polyester			Piece	28.- / 31.-
372 Large sheet in cotton/polyester			Piece	60.- / 67.-
380 Cotton towels for reliability tests according to EN 50731:2025, dimensions 100 × 50 cm			Piece	6.- / 7.-
381 Cotton pillow case for reliability tests according to EN 50731:2025 Dimensions 80 × 80 cm			Piece	6.- / 7.-
382 Cotton bed sheet for reliability tests according to EN 50731:2025 Dimensions 160 × 250 cm			Piece	14.- / 16.-
390 Soil ballast (Formula 2004)			Pack	57.- / 63.-

#### 4 TEST FABRICS FOR DETERMINATION OF COLOUR FASTNESS

401 Cotton fabric, ECE, plain weave, ISO 105-F02	131	116	m	29.- / 32.-
402 Wool muslin, worsted yarn, ISO 105-F01	139	121	m	86.- / 96.-
403 Silk, Crêpe, degummed, ISO 105-F06	76	57	m	133.- / 148.-
406 Polyamide 6.6 spun, type 200, plain weave, ISO 105-F03	113	130	m	77.- / 86.-
407 Polyester Dacron, type 54 spun, plain weave, ISO 105-F04	106	128	m	70.- / 78.-
408 Polyacrylonitrile Orlon, type 75 spun, plain weave, ISO 105-F05	107	138	m	56.- / 62.-
409 Multifibre fabric consisting of: wool, viscose, silk, polyamide, cotton, acetate	112	260	m	128.- / 142.-
410 TV multifibre fabric consisting of: triacetate, bleached cotton non-mercerized, polyamide Nylon 6.6, polyester Dacron 54, polyacrylonitrile Orlon 75, viscose spun, ISO 105-F10	10	259	m	37.- / 41.-
411 DW multifibre fabric consisting of: 2,5 acetate, bleached cotton non-mercerized, polyamide Nylon 6.6, polyester Dacron 54, polyacrylonitrile Orlon 75, wool, ISO 105-F10, ISO 15702, ISO 15703	10	258	m	35.- / 39.-
412 Cotton cuts for crockmeter, 5x5 cm, without optical brightener, packs with approx. 1000 pieces, ISO 105-F09, ISO 105-X12		110	Pack	264.- / 293.-
413 Cotton for crockmeter, without optical brightener, ISO 105-F09	128	115	m	46.- / 51.-
415 Polyamide 6.6 strip, 1/2 drawn, 1/2 undrawn, «Tigercloth»	16	120	m	29.- / 32.-

#### TEST FABRICS FOR EVALUATION OF BLEACHING (Not sensitive to oxygen bleach)

475 Cotton dyed with Reactive Red 195	155	185	m	56.- / 62.-
476 Cotton dyed with Reactive Blue 225	166	180	m	56.- / 62.-
477 Polyester dyed with Disperse Red 60	158	180	m	56.- / 62.-
478 Polyester dyed with Disperse Blue 79	158	180	m	56.- / 62.-
479 Cotton dyed with Vat Blue 4	167	180	m	56.- / 62.-

			Circa usable width in cm	g/m <sup>2</sup>	Unit	Prices in CHF/Euro
<b>TEST FABRICS FOR EVALUATION OF BLEACHING</b> (Sensitive to oxygen bleach)						
495	Cotton dyed with Reactive Red 2		165	180	m	56.– / 62.–
496	Cotton dyed with Reactive Black 5		170	185	m	56.– / 62.–
497	Cotton dyed with Reactive Orange 16		168	180	m	56.– / 62.–
498	Cotton dyed with Reactive Red 228		165	180	m	56.– / 62.–
499	Cotton dyed with Sulphur Black 1		165	179	m	56.– / 62.–

## 5 BIOMONITORS

503	HyWa-Check Biomonitor with <i>Staphylococcus arlettae</i>				Piece	14.– / 16.–
504	HyWa-Check Biomonitor with <i>Enterococcus faecium</i>				Piece	14.– / 16.–
505	HyWa-Check Biomonitor with <i>Pseudomonas fluorescens</i>				Piece	14.– / 16.–
506	HyWa-Check Biomonitor with <i>Saccharomyces cerevisiae</i>				Piece	14.– / 16.–

## 6 REFERENCE DETERGENTS

600	ECE reference detergent 98 for colour fastness ISO 105-Co8/09, without phosphate, in packages of 1 kg net each				Pack	28.– / 31.–
601	ECE reference detergent 77 for colour fastness ISO 105-Co6, ISO 105-Co2 without optical brightener, in packages of 1 kg net each				Pack	40.– / 44.–
602	IEC-Base Powder Typ A* and Typ P, Standard Powder Detergent according IEC 60456 and EN 60456, in packages of 5 kg net each				Pack	118.– / 131.–
603	IEC reference detergent type B, with phosphates, EN/IEC Publication 60456, in packages of 5 kg net each				Pack	104.– / 116.–
605	IEC-P premix, standard powder detergent plus sodium percarbonate according to IEC 60456 and EN 60456, non-hazardous goods for easy shipping, Pack of 3 kg net				Pack	120.– / 133.–
606	TAED Tetraacetylenediamine, concentration 90%–94%, in packages of 500 g net				Pack	14.– / 16.–
608	Sodiumpercarbonate, bleaching agent in packages of 1 kg net each				Pack	18.– / 20.–
609	Rinse aid formula "III" for tests in according to IEC 60436 Ed.5 and EN 60436:2020/A12, pack of 1 L				Pack	33.– / 37.–
610	IEC-reference detergent, Typ D for dish-washer acc. IEC 60436:2015 with Savinase 6T and Termamyl 120T, in packages of 1 kg net each				Pack	40.– / 44.–
611	IEC-reference detergent, Typ E for dish-washer acc. IEC 60436 5 <sup>th</sup> Ed. with Excellent P1000 and Stainzyme Plus Eivity 12T, in packages of 1 kg net each				Pack	40.– / 44.–
612	IEC-L 1, standard liquid detergent according to IEC 60456 6 <sup>th</sup> Ed., pack of 1 L				Pack	48.– / 53.–

	Circa usable width in cm	g/m <sup>2</sup>	Unit	Prices in CHF/Euro
<b>613</b> IEC-L 2, standard liquid detergent according to IEC 60456 6 <sup>th</sup> Ed., pack of 1 L			Pack	47.– / 52.–
<b>614</b> IEC-W, standard liquid detergent for wool according to IEC 60456 6 <sup>th</sup> Ed., pack of 1 L			Pack	34.– / 38.–
<b>615</b> IEC-Based Powder Type A* and Type P, powder detergent similar to the standard according to IEC 60456 (formulation cft, Center For Testmaterials), Pack of 5 kg net			Pack	98.– / 109.–
<b>616</b> AHAM-HLW-1 Formula 3, Powder detergent similar to the standard with sodium percarbonate instead of sodium perborate as bleaching additive, pack of 5 kg net			Pack	113.– / 126.–

## 7 TEST MATERIALS FOR VESLIC/IUF TESTING OF LEATHER

<b>701</b> Standard wool felt, white, for evaluations with rub fastness tester FEK-VESLIC, according to VESLIC C-4500, ISO 11640:2018, IUF450, unit with 1000 pieces			Pack	124.– / 138.–
<b>702</b> Standard wool felt, black, for evaluations with rub fastness tester FEK-VESLIC, according to VESLIC C-4500, ISO 11640:2018, IUF450, unit with 100 pieces			Pack	56.– / 62.–
<b>727</b> Soft PVC sheet for determining the migration fastness against soft PVC according to VESLIC C-4420, IUF 442, ISO 15701, cuts 50x30 mm each, sheet with 10 test-cuts			Sheet	20.– / 22.–
<b>728</b> Small plate of hard PVC, grey, to test the adhesion of finish to leather, according to IUF 470, ISO 11644, size 70x20x3 mm, package with 100 pieces			Pack	48.– / 53.–
<b>729</b> Small plate of hard PVC, grey, to test the adhesion of finish to leather, according to IUF 470, ISO 11644, size 70x20x3 mm, package with 1000 pieces			Pack	323.– / 359.–
<b>730</b> Teflon rods for the control of dry cleaning, according to IUF 434, length 15–20 mm, diameter 8 mm, ISO 15702, ISO 15703 package with 100 pieces			Pack	204.– / 227.–
<b>750</b> Rubber membrane according GMW 4749 (GMW part-no. 14125), 3 pieces A5			Box	67.– / 74.–
<b>752</b> Wool felt with skin particle, box with 90 pieces à 1.5x1.5 cm			Box	1263.– / 1403.–

## 8 SCALES FOR TESTING OF COLOUR AND LIGHT-FASTNESS

<b>810</b> Grey scale for evaluation of change of colour ISO 105-A02, ISO 15702			Piece	214.– / 238.–
<b>820</b> Grey scale for evaluation of bleeding ISO 105-A03, ISO 15702			Piece	214.– / 238.–
<b>830</b> Blue scale for evaluation of light-fastness ISO 105-B01, ISO 105-B02, IUF 401, IUF 402			Piece	7.– / 8.–
<b>840</b> ORWET®, plate orange on lacquer for testing weathering methods, SAE J1960, ISO 11341, guideline VDI 3958, 45x55 mm			Piece	18.– / 20.–

## 9 PHOTOGRAPHS FOR EVALUATION OF PILLING FORMATION

	Circa usable width in cm	g/m <sup>2</sup>	Unit	Prices in CHF/Euro
990 6x4 photographs for determining the degree of pilling, according to SN-EN-ISO 12945-2, wovens and knits			Set	649.- / 721.-
991 3x4 photographs for determining the degree of pilling, according to SN-EN-ISO 12945-2, wovens only			Set	391.-/434.-
992 3x4 photographs for determining the degree of pilling, according to SN-EN-ISO 12945-2, knits only			Set	391.-/434.-

## 10 SERVICE

1001 Fabrication of soiling as requested by customer				on request
1002 Fabrication of soiling to your specifications				on request
1003 Fabrication of customer-specific test strips				on request
1004 Cutting				on request
1005 Consulting				on request

## 11 CONDITIONS OF SALE AND DELIVERY FOR SWISSATEST TESTMATERIALS

### CONDITIONS OF SALE AND DELIVERY

---

- We refer to our terms and conditions.
- 

### BANK DETAILS

---

- CHF: UBS AG. CH-9001 St. Gallen, IBAN CH 260025425480214601V
  - Euro: UBS AG. CH-9001 St. Gallen, IBAN CH 430025425480214660X
- 

### TAX NUMBERS

---

- MwSt-No.: CHE-109.401.386MWST
  - Certificate of fiscale residence: 22437
-